



IP67 : Suitable for Wet Locations  
IK10 : Impact Resistant (Vandal Resistant)

## Patnos 5 - Inground LED

7" round or square  
Stainless Steel 316

A range of high quality stainless inground luminaires for use in all weather conditions.

This range of inground fixtures is designed to deliver the desired light effect to facades, columns, bridges monuments and trees.

The fixtures are manufactured with a combination of stainless steel 316L and powder coated low copper content Aluminum.

The fixture is provided with a marine grade powder coated aluminum recessing box for easy mounting in ground and concrete.



This LED fixture is available with options of a round or square trim in two different sizes.

For wall wash applications the fixture can be ordered with a 15° or 25° fixed tilt.

Vandal Resistant Tempered Glass, High temperature silicone gaskets and cast resin complete the fixture and make it IP67 and IK10 to withstand harsh environments.


Not only is the body made of the highest quality low copper content aluminum but incorporated in the product design is a unique product feature that uses a water proof potting compound that totally seals the back of the luminaire and stops water ingress. This product is designed for use on pathways, landscapes and open spaces.

The fixture is pre-wired with a 16 Ft water proof cable that makes connection to the remote mounted controls a simple task. Longer power cable can be provided if specified.



## Technical Data

|                               |                                                              |
|-------------------------------|--------------------------------------------------------------|
| <b>Inground Box</b>           | Marine Grade Aluminum                                        |
| <b>Frame</b>                  | Marine Grade 316 Stainless Steel                             |
| <b>Body</b>                   | Extruded Aluminum with UV protected marine grade powder coat |
| <b>Hardware</b>               | Marine Grade 316 Stainless Steel                             |
| <b>Lens</b>                   | Tempered Glass 0.31" thick (Clear or Frosted)                |
| <b>Gaskets</b>                | Injection Molded Ultra High Temperature Silicone             |
| <b>Driver</b>                 | 120/277V 50-60Hz                                             |
| <b>Low Voltage (optional)</b> | 120VAC to 24VDC or 36VDC low voltage transformer (remote)    |
| <b>LED Watts</b>              | 9W, 27W                                                      |
| <b>Lumens</b>                 | 630 lm, 1350 lm                                              |
| <b>LED (static white)</b>     | 2700K, 3300K, 4500K, 6000K                                   |
| <b>LED (static color)</b>     | Red, Green, Amber or Blue                                    |
| <b>CRI</b>                    | > 85                                                         |
| <b>Cable</b>                  | 16 foot Water Proof Cable                                    |
| <b>Approvals</b>              | ETL                                                          |



PROJECT: \_\_\_\_\_

DATE: \_\_\_\_\_

QUANTITY: \_\_\_\_\_

TYPE: \_\_\_\_\_

NOTE: \_\_\_\_\_

Specialized Lighting Solutions reserves the right to change specifications without prior notice, please contact factory for latest information.

Specialized Lighting Solutions, LLC  
7144 NE Progress Ct  
Hillsboro, OR 97124





Tel: 503-530-8908  
Fax: 503-531-0711

www.slsnw.com  
08/01/19



# Patnos 5 - Inground LED

7" round or square  
Marine Grade Stainless Steel Frame

**7" Diameter****0° Tilt**




| Watt | Round (Specify) | Square (Specify) | Lumens |
|------|-----------------|------------------|--------|
| 9W   | 164020          | 164030           | 630    |
| 27W  | 164060          | 164070           | 1350   |

**Options  
(Specify)****LED Color**

|       |  |       |
|-------|--|-------|
| (27K) |  | 2700K |
| (33K) |  | 3300K |
| (45K) |  | 4500K |
| (60K) |  | 6000K |
| (BLU) |  | Blue  |
| (RED) |  | Red   |
| (AMB) |  | Amber |
| (GRN) |  | Green |

**Tilt**

|      |     |
|------|-----|
| (0)  | 0°  |
| (15) | 15° |
| (25) | 25° |

**9 Watt Beam****7" Diameter****15° Tilt**

| Watt | Round (Specify) | Square (Specify) | Lumens |
|------|-----------------|------------------|--------|
| 9W   | 164220          | 164230           | 630    |
| 27W  | 164720          | 164730           | 1350   |

**Beam Spread**


|      |     |
|------|-----|
| (10) | 10° |
| (25) | 25° |
| (40) | 40° |

**Lens**

|     |         |
|-----|---------|
| (C) | Clear   |
| (F) | Frosted |

**Volts**

|       |          |
|-------|----------|
| (UNV) | 120/277V |
| (DC)  | 24DC     |



Ordering Example : Patnos 5- 164220 - 9W - 33K - 15 - 10 - C - UNV

Code      LED Watts      LED Color      Tilt      Beam      Lens      Volts

Patnos 5 - \_\_\_\_\_

PROJECT: \_\_\_\_\_

DATE: \_\_\_\_\_

QUANTITY: \_\_\_\_\_

TYPE: \_\_\_\_\_

NOTE: \_\_\_\_\_




# Patnos 5 - Inground LED

7" round or square  
Marine Grade Stainless Steel Frame




7" Diameter

25° Tilt



| Watt | Round (Specify) | Square (Specify) | Lumens |
|------|-----------------|------------------|--------|
| 9W   | 164300          | 164310           | 630    |
| 27W  | 164760          | 164770           | 1350   |

9 Watt Beam



## Options (Specify)

## LED Color

|       |  |       |
|-------|--|-------|
| (27K) |  | 2700K |
| (33K) |  | 3300K |
| (45K) |  | 4500K |
| (60K) |  | 6000K |
| (BLU) |  | Blue  |
| (RED) |  | Red   |
| (AMB) |  | Amber |
| (GRN) |  | Green |

## Tilt

|      |     |
|------|-----|
| (0)  | 0°  |
| (15) | 15° |
| (25) | 25° |

## Beam Spread

|      |     |
|------|-----|
| (10) | 10° |
| (25) | 25° |
| (40) | 40° |

## Lens

|     |         |
|-----|---------|
| (C) | Clear   |
| (F) | Frosted |

## Volts

|       |          |
|-------|----------|
| (UNV) | 120/277V |
| (DC)  | 24DC     |

Ordering Example : Patnos 5- 164220 - 9W - 33K - 15 - 10 - C - DC

| Code   | LED Watts | LED Color | Tilt | Beam | Lens | Volts |
|--------|-----------|-----------|------|------|------|-------|
| Patnos |           |           |      |      |      |       |

PROJECT: \_\_\_\_\_

DATE: \_\_\_\_\_

QUANTITY: \_\_\_\_\_

TYPE: \_\_\_\_\_

NOTE: \_\_\_\_\_

Specialized Lighting Solutions reserves the right to change specifications without prior notice, please contact factory for latest information.

Specialized Lighting Solutions, LLC  
7144 NE Progress Ct  
Hillsboro, OR 97124

Tel: 503-530-8908  
Fax: 503-531-0711

www.slsnw.com  
08/01/19

